



BLING BLING

 POLYESTER ALUMINUM	 4 mil Mirror 12 mil Star	 60° Blade	 MEDIUM pressure	 320°F	 20s	 PEEL: WARM TO COLD
---------------------------	---------------------------------	------------------	------------------------	-----------	---------	---------------------------

CARRIER: Self-Adhesive Clear Polyester

APPLIES ON

- Cotton
- Polyester
- Acrylic & Similar Fabrics

CARE

- Always respect the garment's instructions
- Allow 24 hours after application before washing
- Iron the backside only

WASH

- Max 100°F (Mirror: cold hand wash)
- Preferably inside out
- Do NOT bleach
- Do NOT Tumble-dry
- Do NOT Dry-clean

STORE

- Up to 1 year
- In a dry room (60-85°F)
- Away from sunlight
- In vertical position

APPLICATION

1. Cut the material in reverse with the recommended blade
2. Weed the excess material
3. Heat press on the garment at 320°F & Protect the polyester carrier with silicone paper 20 sec - medium pressure
4. Peel the carrier off when cold



NOTE: For best results, we recommend performing a TEST prior to starting standard production